

Recommended Format for Smokeless Tobacco Nicotine Data Reporting - CSTHEA

Please attach additional pages if necessary

Date_____

Office on Smoking and Health
Attn. FCLAA Program Manager
4770 Buford Hwy., NE, MS K-50
Atlanta, GA 30341

This nicotine report is being submitted pursuant to the Comprehensive Smokeless Tobacco Health Education Act (CSTHEA), 15 U.S.C. §4403(a).

Manufacturer* (Please indicate if the product is manufactured for another company)

Variety (Including brand families and brand variations)

Brand Name (e.g., Skoal Bandits, Skoal Long Cut Cherry, Skoal Long Cut Wintergreen, etc.)

*If this Ingredient Report is submitted by a designated individual or entity on behalf of a cigarette manufacturer, packager, or importer, the form must specify on whose behalf the submission is being made.

Product category (check one)

- ☐ Dry snuff
- ☐ Moist (wet) snuff
- ☐ Snuff portion pouch
- ☐ Snus
- ☐ Snus portion pouch
- ☐ Plug
- ☐ Twist
- ☐ Loose leaf
- ☐ Compressed (pellet, tablet)
- ☐ Other _____ (*specify*)

Documentation of method used for random sample section

Documentation of Standards Addition Assay, including nicotine concentrations selected for standard curve

Smokeless Tobacco Analytical Data

	Sample Date	Manufacture Date	Lot Number	Sample Fraction ¹	Age of the product in days when received by testing facility/storage conditions prior to analysis	Nicotine ²	Total Moisture ³	pH	Estimated unionized (free) nicotine ²	Estimated unionized (free) nicotine ³
1										
2										
3										
4										
					Final mean value with a 95% confidence interval					
					Range of values					
					Estimated precision of the mean ⁴					

¹Number of randomly sampled, sealed, packaged (so as to be representative of the product that is sold to the public) smokeless tobacco products selected per sampling date; ²Units for nicotine and estimated unionized (free) nicotine content are milligrams of nicotine (or unionized (free) nicotine) per gram of tobacco (mg/g); ³Total moisture and estimated unionized (free) nicotine are reported as a percentage (%); ⁴Reported as the standard deviation.